



Artificial Intelligence 110 (1999) 329–338

**Artificial
Intelligence**

www.elsevier.com/locate/artint

Master Index—Volumes 101–110

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

- Abdelbar, A.M.
 An algorithm for finding MAPs for belief networks through cost-based abduction **104** (1998) 331–338
- Abdelbar, A.M. and S.M. Hedetniemi
 Approximating MAPs for belief networks is NP-hard and other theorems **102** (1998) 21–38
- Adibi, J., see Tambe, M. **110** (1999) 215–239
- Aha, D.W., see Kasif, S. **104** (1998) 287–311
- Al-Onaizan, Y., see Tambe, M. **110** (1999) 215–239
- Anrig, B., see Kohlas, J. **104** (1998) 71–106
- Antonelli, G.A.
 A directly cautious theory of defeasible consequence for default logic via the notion of general extension **109** (1999) 71–109
- Arbib, M.A.
 The metaphorical brains (Response) **101** (1998) 323–335
- Argamon-Engelson, S., S. Kraus and S. Sina
 Utility-based on-line exploration for repeated navigation in an embedded graph (Research Note) **101** (1998) 267–284
- Arieli, O. and A. Avron
 The value of the four values **102** (1998) 97–141
- Arzi-Gonczarowski, Z. and D. Lehmann
 From environments to representations—a mathematical theory of artificial perceptions **102** (1998) 187–247
- Asada, M., H. Kitano, I. Noda and M. Veloso
 RoboCup: Today and tomorrow—What we have learned **110** (1999) 193–214
- Asada, M., E. Uchibe and K. Hosoda
 Cooperative behavior acquisition for mobile robots in dynamically changing real worlds via vision-based reinforcement learning and development **110** (1999) 275–292
- Avron, A., see Arieli, O. **102** (1998) 97–141

- Bäckström, C., see Jonsson, P. **102** (1998) 143–155
- Bäckström, C., see Jonsson, P. **109** (1999) 273–295
- Baral, C., A. Gabaldon and A. Provetti
Value minimization in circumscription **102** (1998) 163–186
- Baral, C., A. Gabaldon and A. Provetti
Formalizing narratives using nested circumscription **104** (1998) 107–164
- Barette, O., see Deville, Y. **109** (1999) 243–271
- Barnden, J.A.
Book Review of *The Metaphorical Brain 2: Neural Networks and Beyond* (Michael A. Arbib) **101** (1998) 301–309
- Baroni, P., G. Lamperti, P. Pogliano and M. Zanella
Diagnosis of large active systems **110** (1999) 135–183
- Bell, D.A., see Guan, J.W. **105** (1998) 77–103
- Bessi re, C., E.C. Freuder and J.-C. R gin
Using constraint metaknowledge to reduce arc consistency computation **107** (1999) 125–148
- Bibel, W.
Let's plan it deductively! **103** (1998) 183–208
- Blockeel, H. and L. De Raedt
Top-down induction of first-order logical decision trees (Research Note) **101** (1998) 285–297
- Bobrow, D.G. and J.M. Brady
Artificial Intelligence 40 years later **103** (1998) 1–4
- Bochman, A.
On the relation between default and modal nonmonotonic reasoning **101** (1998) 1–34
- Bochman, A.
A foundational theory of belief and belief change **108** (1999) 309–352
- Boden, M.A.
Creativity and artificial intelligence **103** (1998) 347–356
- Bohanec, M., see Zupan, B. **109** (1999) 211–242
- Boros, E., T. Ibaraki and K. Makino
Logical analysis of binary data with missing bits **107** (1999) 219–263
- Brady, J.M., see Bobrow, D.G. **103** (1998) 1–4
- Bratko, I., see Zupan, B. **109** (1999) 211–242
- Brewka, G. and T. Eiter
Preferred answer sets for extended logic programs **109** (1999) 297–356
- Brown, R.D., see Yang, Y. **103** (1998) 323–345
- Br ning, S., see Schaub, T. **106** (1998) 1–76
- Brusoni, V., L. Console, P. Terenziani and D. Theseider Dupr 
A spectrum of definitions for temporal model-based diagnosis **102** (1998) 39–79
- Bylander, T.
Worst-case analysis of the Perceptron and Exponentiated Update algorithms **106** (1998) 335–352

- Carberry, S., see Webber, B. **105** (1998) 263–293
- Carbonell, J.G., see Yang, Y. **103** (1998) 323–345
- Cassandra, A.R., see Kaelbling, L.P. **101** (1998) 99–134
- Castelfranchi, C.
 Modelling social action for AI agents **103** (1998) 157–182
- Chang, S.-F., see McKeown, K.R. **103** (1998) 95–116
- Chen, X.J. and G. De Giacomo
 Reasoning about nondeterministic and concurrent actions:
 A process algebra approach **107** (1999) 63– 98
- Chow, T.W.S., see Leung, C.-T. **107** (1999) 347–356
- Clarke, J.R., see Webber, B. **105** (1998) 263–293
- Cohen, D., see Jeavons, P. **101** (1998) 251–265
- Colomb, R.M.
 Representation of propositional expert systems as partial functions **109** (1999) 187–209
- Console, L., see Brusoni, V. **102** (1998) 39– 79
- Cooper, M.C.
 Linear-time algorithms for testing the realisability of line drawings of curved objects **108** (1999) 31– 67
- Cooper, M.C., see Jeavons, P. **101** (1998) 251–265
- Corbacho, F.J.
 Schema-based learning (Commentary) **101** (1998) 337–339
- Costello, T.
 The expressive power of circumscription **104** (1998) 313–329
- Dalal, M., see McKeown, K.R. **103** (1998) 95–116
- Davis, R., see Stahovich, T.F. **104** (1998) 211–264
- De Giacomo, G., see Chen, X.J. **107** (1999) 63– 98
- Delgrande, J.P.
 On first-order conditional logics **105** (1998) 105–137
- Demšar, J., see Zupan, B. **109** (1999) 211–242
- De Raedt, L., see Blockeel, H. **101** (1998) 285–297
- De Rijke, M., see Kurtonina, N. **107** (1999) 303–333
- Déville, Y., O. Barette and P. Van Hentenryck
 Constraint satisfaction over connected row-convex constraints **109** (1999) 243–271
- Dickmanns, E.D.
 Vehicles capable of dynamic vision: a new breed of technical beings? **103** (1998) 49– 76
- Drakengren, T. and P. Jonsson
 A complete classification of tractability in Allen's algebra relative to subsets of basic relations **106** (1998) 205–219
- Drakengren, T., see Jonsson, P. **109** (1999) 273–295
- Düntsche, I. and G. Gediga
 Uncertainty measures of rough set prediction **106** (1998) 109–137

- Eiter, T., T. Ibaraki and K. Makino
 Computing intersections of Horn theories for reasoning with models **110** (1999) 57–101
- Eiter, T. and V.S. Subrahmanian
 Heterogeneous active agents, II: Algorithms and complexity **108** (1999) 257–307
- Eiter, T., V.S. Subrahmanian and G. Pick
 Heterogeneous active agents, I: Semantics **108** (1999) 179–255
- Eiter, T., see Brewka, G. **109** (1999) 297–356
- Elizondo, D., see Tajine, M. **102** (1998) 295–322
- Erdem, A., see Tambe, M. **110** (1999) 215–239
- Érdi, P.
 Structure-based modeling of schemas (Commentary) **101** (1998) 341–343
- Evenchik, A., see Kraus, S. **104** (1998) 1– 69
- Fagioli, E. and M. Zaffalon
 2U: an exact interval propagation algorithm for polytrees with binary variables **106** (1998) 77–107
- Feiner, S.K., see McKeown, K.R. **103** (1998) 95–116
- Feldman, Y.A. and D.A. Friedman
 Portability by automatic translation: A large-scale case study **107** (1999) 1– 28
- Ford, K.M., see LaForte, G. **104** (1998) 265–286
- Frederking, R.E., see Yang, Y. **103** (1998) 323–345
- Freuder, E.C., see Bessière, C. **107** (1999) 125–148
- Freund, M.
 Statics and dynamics of induced systems **110** (1999) 103–134
- Friedman, D.A., see Feldman, Y.A. **107** (1999) 1– 28
- Gabaldon, A., see Baral, C. **102** (1998) 163–186
- Gabaldon, A., see Baral, C. **104** (1998) 107–164
- Gaspari, M.
 Concurrency and knowledge-level communication in agent languages **105** (1998) 1– 45
- Gediga, G., see Düntsch, I. **106** (1998) 109–137
- Gelsey, A., M. Schwabacher and D. Smith
 Using modeling knowledge to guide design space search **101** (1998) 35– 62
- Gertner, A., see Webber, B. **105** (1998) 263–293
- Greiner, R.
 The complexity of theory revision **107** (1999) 175–217
- Guan, J.W. and D.A. Bell
 Rough computational methods for information systems **105** (1998) 77–103
- Haenni, R., see Kohlas, J. **104** (1998) 71–106
- Hanson, S.J.
 Michael Arbib's *The Metaphorical Brain 2: the sequel?* (Book Review) **101** (1998) 311–314

- Harvey, T., see Webber, B. **105** (1998) 263–293
- Hayes, P.J., see LaForte, G. **104** (1998) 265–286
- Hedetniemi, S.M., see Abdelbar, A.M. **102** (1998) 21–38
- Hosoda, K., see Asada, M. **110** (1999) 275–292
- Huang, T. and S. Russell
Object identification: a Bayesian analysis with application to
traffic surveillance **103** (1998) 77–93
- Ibaraki, T., A. Kogan and K. Makino
Functional dependencies in Horn theories **108** (1999) 1–30
- Ibaraki, T., see Boros, E. **107** (1999) 219–263
- Ibaraki, T., see Eiter, T. **110** (1999) 57–101
- Jeavons, P., D. Cohen and M.C. Cooper
Constraints, consistency and closure (Research Note) **101** (1998) 251–265
- Jefferies, M.E., see Yeap, W.K. **107** (1999) 265–301
- Jonsson, P. and C. Bäckström
A unifying approach to temporal constraint reasoning **102** (1998) 143–155
- Jonsson, P., T. Drakengren and C. Bäckström
Computational complexity of relating time points with inter-
vals **109** (1999) 273–295
- Jonsson, P., see Drakengren, T. **106** (1998) 205–219
- Joshi, A.K.
Role of constrained computational systems in natural lan-
guage processing **103** (1998) 117–132
- Kaelbling, L.P., M.L. Littman and A.R. Cassandra
Planning and acting in partially observable stochastic domains **101** (1998) 99–134
- Kambhampati, S.
On the relations between intelligent backtracking and failure-
driven explanation-based learning in constraint satisfaction
and planning **105** (1998) 161–208
- Kaminka, G.A., see Tambe, M. **110** (1999) 215–239
- Kasif, S., S. Salzberg, D. Waltz, J. Rachlin and D.W. Aha
A probabilistic framework for memory-based reasoning **104** (1998) 287–311
- Keane, M.T., see Smyth, B. **102** (1998) 249–293
- Kitano, H.
Preface **110** (1999) 189–191
- Kitano, H., see Asada, M. **110** (1999) 193–214
- Koehler, J., see Ohlbach, H.J. **109** (1999) 1–31
- Kogan, A., see Ibaraki, T. **108** (1999) 1–30
- Kohlas, J., B. Anrig, R. Haenni and P.A. Monney
Model-based diagnostics and probabilistic assumption-based
reasoning **104** (1998) 71–106

- Korf, R.E.
 A complete anytime algorithm for number partitioning **106** (1998) 181–203
- Kotočová, M., see Krajčoviech, R. **109** (1999) 161–185
- Krajčoviech, R. and M. Kotočová
 Non-uniform time sharing in the concurrent execution of constraint solving **109** (1999) 161–185
- Kraus, S., K. Sycara and A. Evenchik
 Reaching agreements through argumentation: a logical model and implementation **104** (1998) 1–69
- Kraus, S., see Argamon-Engelson, S. **101** (1998) 267–284
- Kraus, S., see Morreau, M. **106** (1998) 161–177
- Kraus, S., see Shehory, O. **101** (1998) 165–200
- Kraus, S., see Shehory, O. **110** (1999) 1–55
- Kurtonina, N. and M. de Rijke
 Expressiveness of concept expressions in first-order description logics **107** (1999) 303–333
- LaForte, G., P.J. Hayes and K.M. Ford
 Why Gödel's theorem cannot refute computationalism **104** (1998) 265–286
- Lamperti, G., see Baroni, P. **110** (1999) 135–183
- Lancewicki, R., see Parodi, P. **105** (1998) 47–75
- Larrosa, J., P. Meseguer and T. Schiex
 Maintaining reversible DAC for Max-CSP **107** (1999) 149–163
- Leckie, C. and I. Zukerman
 Inductive learning of search control rules for planning **101** (1998) 63–98
- Lehmann, D., see Arzi-Gonczarowski, Z. **102** (1998) 187–247
- Leong, T.Y.
 Multiple perspective dynamic decision making **105** (1998) 209–261
- Leung, C.-T. and T.W.S. Chow
 Adaptive regularization parameter selection method for enhancing generalization capability of neural networks (Research Note) **107** (1999) 347–356
- Levesque, H.J., see Lin, F. **101** (1998) 201–226
- Levy, A.Y. and M.-C. Rousset
 Verification of knowledge bases based on containment checking **101** (1998) 227–250
- Levy, A.Y. and M.-C. Rousset
 Combining Horn rules and description logics in CARIN **104** (1998) 165–209
- Lin, F.
 Applications of the situation calculus to formalizing control and strategic information: the Prolog cut operator **103** (1998) 273–294
- Lin, F. and H.J. Levesque
 What robots can do: robot programs and effective achievability **101** (1998) 201–226
- Littman, M.L., see Kaelbling, L.P. **101** (1998) 99–134

- Loui, R.P.
 B.C. Smith's, *On the Origin of Objects* **106** (1998) 353–358
- Lucas, P.J.F.
 Analysis of notions of diagnosis **105** (1998) 295–343
- Makino, K., see Boros, E. **107** (1999) 219–263
- Makino, K., see Eiter, T. **110** (1999) 57–101
- Makino, K., see Ibaraki, T. **108** (1999) 1–30
- Marsella, S.C., see Tambe, M. **110** (1999) 215–239
- McDermott, D.
 Using regression-match graphs to control search in planning **109** (1999) 111–159
- McKeown, K.R., S.K. Feiner, M. Dalal and S.-F. Chang
 Generating multimedia briefings: coordinating language and illustration **103** (1998) 95–116
- Meseguer, P., see Larrosa, J. **107** (1999) 149–163
- Monney, P.A., see Kohlas, J. **104** (1998) 71–106
- Morgenstern, L.
 Inheritance comes of age: applying nonmonotonic techniques to problems in industry **103** (1998) 237–271
- Morreau, M. and S. Kraus
 Syntactical treatments of propositional attitudes (Research Note) **106** (1998) 161–177
- Motoda, H. and K. Yoshida
 Machine learning techniques to make computers easier to use **103** (1998) 295–321
- Muscettola, N., P.P. Nayak, B. Pell and B.C. Williams
 Remote Agent: to boldly go where no AI system has gone before **103** (1998) 5–47
- Muslea, I., see Tambe, M. **110** (1999) 215–239
- Nayak, P.P., see Muscettola, N. **103** (1998) 5–47
- Nebel, B., see Renz, J. **108** (1999) 69–123
- Noda, I., see Asada, M. **110** (1999) 193–214
- Ohlbach, H.J. and J. Koehler
 Modal logics, description logics and arithmetic reasoning **109** (1999) 1–31
- Ortiz Jr., C.L.
 Explanatory update theory: Applications of counterfactual reasoning to causation **108** (1999) 125–178
- Papamichail, K.N., see Smith, J.Q. **107** (1999) 99–124
- Parodi, P., R. Lancewicki, A. Vijn and J.K. Tsotsos
 Empirically-derived estimates of the complexity of labeling line drawings of polyhedral scenes **105** (1998) 47–75
- Pell, B., see Muscettola, N. **103** (1998) 5–47
- Pick, G., see Eiter, T. **108** (1999) 179–255

- Pogliano, P., see Baroni, P. **110** (1999) 135–183
- Pollock, J.L.
 The logical foundations of goal-regression planning in autonomous agents **106** (1998) 267–334
- Pribram, K.H.
 Arbib's *Metaphorical Brain 2* (Book Review) **101** (1998) 315–321
- Proveti, A., see Baral, C. **102** (1998) 163–186
- Proveti, A., see Baral, C. **104** (1998) 107–164
- Rachlin, J., see Kasif, S. **104** (1998) 287–311
- Rédey, G.
 iCTRL: Intensional conformal text representation language **109** (1999) 33–70
- Régin, J.-C., see Bessière, C. **107** (1999) 125–148
- Renz, J. and B. Nebel
 On the complexity of qualitative spatial reasoning: A maximal tractable fragment of the Region Connection Calculus **108** (1999) 69–123
- Rintanen, J.
 Lexicographic priorities in default logic **106** (1998) 221–265
- Rousset, M.-C., see Levy, A.Y. **101** (1998) 227–250
- Rousset, M.-C., see Levy, A.Y. **104** (1998) 165–209
- Russell, S., see Huang, T. **103** (1998) 77–93
- Rymon, R., see Webber, B. **105** (1998) 263–293
- Salzberg, S., see Kasif, S. **104** (1998) 287–311
- Schaub, T. and S. Brüning
 Prolog technology for default reasoning: proof theory and compilation techniques **106** (1998) 1–76
- Schiex, T., see Larrosa, J. **107** (1999) 149–163
- Schmidt, T. and P.P. Shenoy
 Some improvements to the Shenoy–Shafer and Hugin architectures for computing marginals **102** (1998) 323–333
- Schurz, G.
 Probabilistic semantics for Delgrande's conditional logic and a counterexample to his default logic **102** (1998) 81–95
- Schwabacher, M., see Gelsey, A. **101** (1998) 35–62
- Schwarzer, F., see Schweikard, A. **105** (1998) 139–159
- Schweikard, A. and F. Schwarzer
 Detecting geometric infeasibility **105** (1998) 139–159
- Sgouros, N.M.
 Dynamic generation, management and resolution of interactive plots **107** (1999) 29–62
- Shehory, O. and S. Kraus
 Methods for task allocation via agent coalition formation **101** (1998) 165–200

- Shehory, O., S. Kraus and O. Yadgar
Emergent cooperative goal-satisfaction in large-scale auto-
mated-agent systems **110** (1999) 1– 55
- Shenoy, P.P., see Schmidt, T. **102** (1998) 323–333
- Shrobe, H., see Stahovich, T.F. **104** (1998) 211–264
- Sina, S., see Argamon-Engelson, S. **101** (1998) 267–284
- Smith, D., see Gelsey, A. **101** (1998) 35– 62
- Smith, J.Q. and K.N. Papamichail
Fast Bayes and the dynamic junction forest **107** (1999) 99–124
- Smyth, B. and M.T. Keane
Adaptation-guided retrieval: questioning the similarity as-
sumption in reasoning **102** (1998) 249–293
- Snow, P.
The vulnerability of the transferable belief model to Dutch
books (Research Note) **105** (1998) 345–354
- Stahovich, T.F., R. Davis and H. Shrobe
Generating multiple new designs from a sketch **104** (1998) 211–264
- Steels, L.
The origins of syntax in visually grounded robotic agents **103** (1998) 133–156
- Stone, P. and M. Veloso
Task decomposition, dynamic role assignment, and low-
bandwidth communication for real-time strategic teamwork **110** (1999) 241–273
- Subrahmanian, V.S., see Eiter, T. **108** (1999) 179–255
- Subrahmanian, V.S., see Eiter, T. **108** (1999) 257–307
- Sycara, K., see Kraus, S. **104** (1998) 1– 69
- Tajine, M. and D. Elizondo
Growing methods for constructing Recursive Deterministic
Perceptron neural networks and knowledge extraction **102** (1998) 295–322
- Tambe, M., J. Adibi, Y. Al-Onaizan, A. Erdem, G.A. Kaminka,
S.C. Marsella and I. Muslea
Building agent teams using an explicit teamwork model and
learning **110** (1999) 215–239
- Tennenholtz, M.
On stable social laws and qualitative equilibria **102** (1998) 1– 20
- Terenziani, P., see Brusoni, V. **102** (1998) 39– 79
- Theseider Dupré, D., see Brusoni, V. **102** (1998) 39– 79
- Thielscher, M.
Reasoning about actions: steady versus stabilizing state con-
straints **104** (1998) 339–355
- Tsotsos, J.K., see Parodi, P. **105** (1998) 47– 75
- Uchibe, E., see Asada, M. **110** (1999) 275–292

- Valdés-Pérez, R.E.
 Principles of human–computer collaboration for knowledge discovery in science (Research Note) **107** (1999) 335–346
- Van der Hoek, W., see Witteveen, C. **106** (1998) 139–159
- Van Hentenryck, P.
 A gentle introduction to NUMERICA **103** (1998) 209–235
- Van Hentenryck, P., see Deville, Y. **109** (1999) 243–271
- Varis, O.
 A belief network approach to optimization and parameter estimation: application to resource and environmental management **101** (1998) 135–163
- Veloso, M., see Asada, M. **110** (1999) 193–214
- Veloso, M., see Stone, P. **110** (1999) 241–273
- Vijh, A., see Parodi, P. **105** (1998) 47–75
- Waltz, D., see Kasif, S. **104** (1998) 287–311
- Washington, R., see Webber, B. **105** (1998) 263–293
- Webber, B., S. Carberry, J.R. Clarke, A. Gertner, T. Harvey, R. Rymon and R. Washington
 Exploiting multiple goals and intentions in decision support for the management of multiple trauma: a review of the TraumAID project **105** (1998) 263–293
- Werger, B.B.
 Cooperation without deliberation: A minimal behavior-based approach to multi-robot teams **110** (1999) 293–320
- Wilks, Y.
 K. Sparck Jones and J. Galliers, *Evaluating Natural Language Processing Systems: An Analysis and Review* (Book Review) **107** (1999) 165–170
- Williams, B.C., see Muscettola, N. **103** (1998) 5–47
- Witteveen, C. and W. van der Hoek
 Recovery of (non)monotonic theories **106** (1998) 139–159
- Yadgar, O., see Shehory, O. **110** (1999) 1–55
- Yang, Y., J.G. Carbonell, R.D. Brown and R.E. Frederking
 Translingual information retrieval: learning from bilingual corpora **103** (1998) 323–345
- Yeap, W.K. and M.E. Jefferies
 Computing a representation of the local environment **107** (1999) 265–301
- Yoshida, K., see Motoda, H. **103** (1998) 295–321
- Zaffalon, M., see Fagioli, E. **106** (1998) 77–107
- Zanella, M., see Baroni, P. **110** (1999) 135–183
- Zukerman, I., see Leckie, C. **101** (1998) 63–98
- Zupan, B., M. Bohanec, J. Demšar and I. Bratko
 Learning by discovering concept hierarchies **109** (1999) 211–242